INDEX TO AUTHORS

A

Abbott, Lynn DeForrest, Jr. Availability of formylglycine, acetylglycine, and propionylglycine for the synthesis of hippuric acid by the rabbit, 241

Adams, Mark H. See *Hogeboom and Adams*, 273

Anchel, Marjorie, and **Waelsch, Heinrich.** The higher fatty aldehydes. I. Isolation from small amounts of tissue with acidic carbonyl reagents, 605

Armstrong, Marvin D. See *Kilmer, Armstrong, Brown, and du Vigneaud*, 495

Arnow, L. Earle, Kazal, Louis A., and **De Falco, Ralph J.** The preparation of apparently non-antigenic beef serum protein by treatment with alkali, 347

Artom, Camillo. See *Fishman and Artom*, 345

Axelrod, A. E., Swingle, Karl F., and **Elvehjem, C. A.** Studies on the succinoxidase system of rat liver in riboflavin deficiency, 297

—. See *Pilgrim, Axelrod, and Elvehjem*, 237

—. See *Swingle, Axelrod, and Elvehjem*, 581

B

Baer, Erich, and **Fischer, Hermann O. L.** Synthesis of dimethyl ethers of the two enantiomorphic α-butyrins and their hydrolysis by lipases, 61

Bendich, Aaron. See *Chargaff, Moore, and Bendich*, 593

Bennett, Mary Adelia, and **Toennies, Gerrit.** A nutritional assay of casein modified by the action of hydrogen peroxide and formic acid, 671

Berg, Clarence P. See *Borchers, Berg, and Whitman*, 657

Bergmann, Max, and **Fruton, Joseph S.** The influence of substrate structure on the kinetics of carboxypeptidase action, 247

Bergmann, Max. See *Fruton and Bergmann*, 253

Bergström, Sune, and **Wintersteiner, O.** Autoxidation of sterols in colloidal aqueous solution. III. Quantitative studies on cholesterol, 309

— and —. IV. The influence of esterification and of constitutional factors, 327

Bernheim, Frederick, and **Bernheim, Mary L. C.** The action of phenylthiocarbamide on tyrosinase, 213

Bernheim, Mary L. C. See *Bernheim and Bernheim*, 213

Bischoff, Fritz. Concerning the reversible inactivation of prolan, 545

Black, Simon, Overman, Ralph S., Elvehjem, C. A., and **Link, Karl Paul.** The effect of sulfaguanidine on rat growth and plasma prothrombin, 137

Bloch, Konrad, and **Rittenberg, D.** On the utilization of acetic acid for cholesterol formation, 625

Borchers, Raymond, Berg, Clarence P., and **Whitman, Newton E.** Tryptophane metabolism. X. The effect of feeding $l(-)$-, dl-, and $d(+)$-tryptophane, $d(-)$- and dl-β-3-indolelactic acid, β-3-indolepyruvic acid, and $l(-)$-kynurenine upon the storage of liver glycogen and the urinary output of kynurenic acid, kynurenine, and total acetone bodies, 657

Bovarnick, M. The formation of extracellular $d(-)$-glutamic acid polypeptide by *Bacillus subtilis*, 415

Brand, Erwin, and **Kassell, Beatrice.** Analysis and minimum molecular weight of β-lactoglobulin, 365

— and —. Photometric determination of arginine, 359

Branning, W. Sterry. See *Handler and Dann*, 145

Braun, Albert E. The effect of some inorganic plant nutrients on malt diastase activity, 197

Brown, George Bosworth. See *Kilmer, Armstrong, Brown, and du Vigneaud*, 495

Buchanan, John M., Hastings, A. Baird, and **Nesbett, Frances B.** Glycogen formation from pyruvate *in vitro* in the presence of radioactive carbon dioxide, 715

Buskirk, Harold H., and **Delor, R. A.** The use of mylase P in the preparation of natural materials for microbiological pantothenic acid assay, 707

C

Cahill, William M., and **Rudolph, Guilford G.** The replaceability of *dl*-methionine in the diet of the rat with its α-keto acid analogue, 201

Carter, Herbert E., and **Norris, William P.** Isolation of dihydrosphingosine from brain and spinal cord, 709

Chaikoff, I. L. See *Taurog, Chaikoff, and Perlman*, 281

Chargaff, Erwin, Moore, Dan H., and **Bendich, Aaron.** Ultracentrifugal isolation from lung tissue of a macromolecular protein component with thromboplastic properties, 593

Christman, A. A. See *Roberts and Christman*, 267

Clark, William G., Levitan, Nathan I., Gleason, Donald F., and **Greenberg, Goodwin.** Titrimetric microdetermination of chloride, sodium, and potassium in a single tissue or blood sample, 85

Coburn, Alvin F. See *Kapp and Coburn*, 549

Cooper, Elizabeth. See *Schmidt, Hughes, Green, and Cooper*, 229

Cox, R. P. See *Quackenbush, Cox, and Steenbock*, 169

Craig, Lyman C. See *Gould, Craig, and Jacobs*, 487

Cuthbertson, Elizabeth M. See *Greenberg and Cuthbertson*, 179

D

Dann, W. J. See *Handler and Dann*, 145

Darby, Hugh H. See *Hofmann, Kilmer, Melville, du Vigneaud, and Darby*, 503

De Falco, Ralph J. See *Arnow, Kazal, and De Falco*, 347

Delor, R. A. See *Buskirk and Delor*, 707

Deuber, Carl G. See *Vickery, Pucher, and Deuber*, 45

Drury, Douglas R. See *Pauls and Drury*, 481

E

Elvehjem, C. A. See *Axelrod, Swingle, and Elvehjem*, 297

—. See *Black, Overman, Elvehjem, and Link*, 137

—. See *McKibbin, Schaefer, Elvehjem, and Hart*, 107

—. See *Nielsen and Elvehjem*, 713

—. See *Pilgrim, Axelrod, and Elvehjem*, 237

—. See *Swingle, Axelrod, and Elvehjem*, 581

Evans, John S., and **Hauschildt, James D.** The influence of enzymes upon the activity of gonadotropin of pregnant mare serum, 335

F

Fischer, Hermann O. L. See *Baer and Fischer*, 61

Fishman, William H., and **Artom, Camillo.** Serine injury, 345

Frost, Douglas V. The water-soluble riboflavin-boron complex, 693

Fruton, Joseph S., and **Bergmann, Max.** The multiple specificity of chymotrypsin, 253

—. See *Bergmann and Fruton*, 247

G

Gibbs, E. L. See *Nims, Gibbs, and Lennox*, 189

Gleason, Donald F. See *Clark, Levitan, Gleason, and Greenberg*, 85

Gould, R. Gordon, Jr., Craig, Lyman C., and **Jacobs, Walter A.** The ergot alkaloids. XIX. The transformation of *dl*-lysergic acid and *d*-lysergic acid to 6,8-dimethylergolines, 487

Gray, Priscilla. See *Handler and Dann*, 145

Green, D. E., Westerfeld, W. W., Vennesland, Birgit, and **Knox, W. E.** Carboxylases of animal tissues, 69

Green, Mary H. See *Schmidt, Hughes, Green, and Cooper*, 229

Greenberg, David M., and **Cuthbertson, Elizabeth M.** Dietary chloride deficiency and alkalosis in the rat, 179

Greenberg, Goodwin. See *Clark, Levitan, Gleason, and Greenberg*, 85

Gunsalus, I. C., and **Niven, Charles F., Jr.** The effect of pH on the lactic acid fermentation, 131

H

Haines, William J. See *Rose, Johnson, and Haines*, 679

Hakala, N. V. See *Petermann and Hakala*, 701

Hamilton, Paul. A glutamine-like substance in blood plasma, 711

Hamlin, Kenneth E., Jr., and **Hartung, Walter H.** The synthesis of α-amino acids from substituted acetoacetic esters, 349

Handler, Philip, and **Dann, W. J.** The biochemical defect in nicotinic acid deficiency, 145

—. See *Klein, Perlzweig, and Handler*, 27

Hart, E. B. See *McKibbin, Schaefer, Elvehjem, and Hart*, 107

Hartung, Walter H. See *Hamlin and Hartung*, 349

Hastings, A. Baird. See *Buchanan, Hastings, and Nesbett*, 715

Hauschildt, James D. See *Evans and Hauschildt*, 335

Hess, W. C. See *Sullivan, Hess, and Howard*, 621

Heuser, G. F. See *McGinnis, Norris, and Heuser*, 341

Hofmann, Klaus, Kilmer, Glen W., Melville, Donald B., du Vigneaud, Vincent, and **Darby, Hugh H.** The condensation of phenanthrenequinone with the diaminocarboxylic acid derived from biotin, 503

—. See *Melville, Hofmann, and du Vigneaud*, 101

Hogeboom, George H., and **Adams, Mark H.** Mammalian tyrosinase and dopa oxidase, 273

Howard, H. W. See *Sullivan, Hess, and Howard*, 621

Hubbard, Roger S., and **Loomis, Ted A.** The determination of inulin, 641

Hughes, Hettie B. See *Schmidt, Hughes, Green, and Cooper*, 229

J

Jacobs, Walter A. See *Gould, Craig, and Jacobs*, 487

Jensen, H. See *Tenenbaum and Jensen*, 293

Johnson, Julius E. See *Rose, Johnson, and Haines*, 679

Johnson, Marvin J. See *Koepsell and Johnson*, 379

Junowicz-Kocholaty, R. See *Meyerhof and Junowicz-Kocholaty*, 443

K

Kapp, Eleanor M., and **Coburn, Alvin F.** Urinary metabolites of sodium salicylate, 549

Kassell, Beatrice. See *Brand and Kassell*, 359, 365

Kazal, Louis A. See *Arnow, Kazal, and De Falco*, 347

Kerr, Stanley E. Studies on the phosphorus compounds of brain. III. Determinations of adenosine triphosphate and its decomposition products in fresh and autolyzed dog brain, 647

Kies, Marian W., and **Schwimmer, Sigmund.** Observations on proteinase in brain, 685

Kilmer, Glen W., Armstrong, Marvin D., Brown, George Bosworth, and **du Vigneaud, Vincent.** Synthesis of a 3,4-diaminotetrahydrothiophene and a

comparison of its stability with the diaminocarboxylic acid derived from biotin, 495

Kilmer, Glen W. See *Hofmann, Kilmer, Melville, du Vigneaud, and Darby,* 503

Kimball, Sydnette. See *Wendel and Kimball,* 343

Kirsner, Joseph B. The serum electrolytes in the dog before and during acute alkalosis induced by sodium bicarbonate, 219

Klein, Daniel. The effects of administration of glucose and insulin on blood pyruvate and lactate in diabetes mellitus, 35

Klein, J. Raymond, Perlzweig, William A., and **Handler, Philip.** Determination of nicotinic acid in blood cells and plasma, 27

Knight, C. A. The physical and chemical properties of a distinctive strain of tobacco mosaic virus, 11

Knox, W. E. See *Green, Westerfeld, Vennesland, and Knox,* 69

Koepsell, H. J., and **Johnson, Marvin J.** Dissimilation of pyruvic acid by cell-free preparations of *Clostridium butylicum,* 379

Kuyper, Adrian C. The rate of excretion of ingested acid and alkali, 615

L

Laskowski, Michael. Oxygen consumption during the histamine-histaminase reaction, 457

Lennox, W. G. See *Nims, Gibbs, and Lennox,* 189

Levitan, Nathan I. See *Clark, Levitan, Gleason, and Greenberg,* 85

Lieben, Fritz, and **Loo, Yen Chin.** On the liberation of free amino nitrogen from proteins in the Van Slyke apparatus, 223

Link, Karl Paul. See *Black, Overman, Elvehjem, and Link,* 137

—. See *Overman, Stahmann, and Link,* 155

Loo, Yen Chin. See *Lieben and Loo,* 223

Loomis, Ted A. See *Hubbard and Loomis,* 641

Lowe, Charles. See *Westerfeld and Lowe,* 463

M

MacFadyen, Douglas A. Determination of amino acids in plasma by the ninhydrin-carbon dioxide reaction without removal of proteins, 387

McConnell, Kenneth P. Respiratory excretion of selenium studied with the radioactive isotope, 55

McGinnis, James, Norris, L. C., and **Heuser, G. F.** An unidentified nutritional factor required by the chick for feather pigmentation, 341

McHenry, E. W. See *Patterson and McHenry,* 207

McKibbin, J. M., Schaefer, A. E., Elvehjem, C. A., and **Hart, E. B.** Studies on hemorrhagic anemia in dogs, 107

Melville, Donald B., Hofmann, Klaus, and **du Vigneaud, Vincent.** The hydrolysis of biotin sulfone, 101

—. See *Hofmann, Kilmer, Melville, du Vigneaud, and Darby,* 503

Meyerhof, Otto, and **Junowicz-Kocholaty, R.** The twofold activation of carbohydrate breakdown by arsenate and the dephosphorylation of phosphopyruvic acid, 443

Miller, Herbert K. See *Waelsch and Miller,* 1

Moore, Dan H. See *Chargaff, Moore, and Bendich,* 593

Morrison, Beatrice Mary. See *Handler and Dann,* 145

Müller, Otto H. Oxidation-reduction potentials measured with the dropping mercury electrode. IV. Polarographic study of α-oxyphenazine, 425

N

Nesbett, Frances B. See *Buchanan, Hastings, and Nesbett,* 715

Nielsen, Edward, and **Elvehjem, C. A.** The growth-promoting effect of folic acid and biotin in rats fed succinylsulfathiazole, 713

Nims, L. F., Gibbs, E. L., and **Lennox, W. G.** Arterial and cerebral venous blood. Changes produced by altering arterial carbon dioxide, 189
Niven, Charles F., Jr. See *Gunsalus and Niven,* 131
Norris, L. C. See *McGinnis, Norris, and Heuser,* 341
Norris, William P. See *Carter and Norris,* 709

O

Orten, James M., and **Sayers, George.** A comparison of the disposition of injected glucose in two strains of rats, 123
Overman, Ralph S., Stahmann, Mark Arnold, and **Link, Karl Paul.** Studies on the hemorrhagic sweet clover disease. VIII. The effect of 2-methyl-1,4-naphthoquinone and *l*-ascorbic acid upon the action of 3,3′-methylenebis-(4-hydroxycoumarin) on the prothrombin time of rabbits, 155
—. See *Black, Overman, Elvehjem, and Link,* 137

P

Patterson, Jean M., and **McHenry, E. W.** Choline and the prevention of hemorrhagic kidneys in the rat, 207
Pauls, Frances, and **Drury, Douglas R.** The influence of insulin upon glycogen storage in the diabetic rat, 481
Perlman, I. See *Taurog, Chaikoff, and Perlman,* 281
Perlzweig, William A. See *Klein, Perlzweig, and Handler,* 27
Petermann, Mary L., and **Hakala, N. V.** Molecular kinetic and electrophoretic studies on carbonic anhydrase, 701
Pilgrim, Francis J., Axelrod, A. E., and **Elvehjem, C. A.** The metabolism of pyruvate by liver from pantothenic acid- and biotin-deficient rats, 237
Platz, Blanche R. See *Quackenbush, Steenbock, and Platz,* 163
Pucher, George W. The organic acids of the leaves of *Bryophyllum calycinum,* 511
Pucher, George W., and **Vickery, Hubert Bradford.** On the identity of the so called crassulacean malic acid with isocitric acid, 525
—. See *Vickery, Pucher, and Deuber,* 45

Q

Quackenbush, F. W., Cox, R. P., and **Steenbock, H.** Tocopherol and the stability of carotene, 169
—, **Steenbock, H.,** and **Platz, Blanche R.** The non-specificity of thiamine in fat synthesis, 163

R

Reinhart, Francis E. See *Woodward and Reinhart,* 471
Rittenberg, D. See *Bloch and Rittenberg,* 625
Roberts, Eugene, and **Christman, A. A.** The influence of lactose and its hydrolysis products on the absorption of calcium, 267
Rose, William C., Johnson, Julius E., and **Haines, William J.** The metabolism of valine in phlorhizin glycosuria, 679
Ross, William F., and **Tracy, Ann H.** Carbon suboxide and proteins. VI. Chymotryptic digestion of malonyl egg and serum albumins, 19
Rudolph, Guilford G. See *Cahill and Rudolph,* 201

S

Sayers, George. See *Orten and Sayers,* 123
Schaefer, A. E. See *McKibbin, Schaefer, Elvehjem, and Hart,* 107
Schmidt, E. G. An ether extraction method for the determination of urine phenols, 533
Schmidt, L. H., Hughes, Hettie B., Green, Mary H., and **Cooper, Elizabeth.** Studies on bile acid metabolism. II. The action of *Alcaligenes faecalis* on cholic acid, 229
Schwimmer, Sigmund. See *Kies and Schwimmer,* 685

Scudi, John V. Conjugated pyridoxine in rice bran concentrates, 637
Seraidarian, Krikor. See *Kerr*, 647
Sizer, Irwin W. The action of certain oxidants and reductants upon the activity of bovine phosphatase, 405
Somogyi, Michael. Effects of glucose feeding upon the ketonemia in healthy man, 575
— and **Weichselbaum, T. E.** Ketone-sparing effect of glucose, 567
Stahmann, Mark Arnold. See *Overman, Stahmann, and Link*, 155
Steenbock, H. See *Quackenbush, Cox, and Steenbock*, 169
—. See *Quackenbush, Steenbock, and Platz*, 163
Sullivan, M. X., Hess, W. C., and **Howard, H. W.** The quantitative estimation of both cystine and cysteine in mixtures, 621
Swingle, Karl F., Axelrod, A. E., and **Elvehjem, C. A.** The mechanism of the effect of calcium salts on the succinoxidase system, 581
—. See *Axelrod, Swingle, and Elvehjem*, 297

T

Taurog, Alvin, Chaikoff, I. L., and **Perlman, I.** The effect of anaerobic conditions and respiratory inhibitors on the *in vitro* phospholipid formation in liver and kidney with radioactive phosphorus as indicator, 281
Tenenbaum, Leon E., and **Jensen, H.** Catecholase (tyrosinase): an improved method of preparation, 293
Toennies, Gerrit. The oxidative conversion of casein into protein free of methionine and tryptophane, 667
—. See *Bennett and Toennies*, 671
Tracy, Ann H. See *Ross and Tracy*, 19

V

Vennesland, Birgit. See *Green, Westerfeld, Vennesland, and Knox*, 60
Vickery, Hubert Bradford, Pucher, George W., and **Deuber, Carl G.** The preparation of asparagine, 45
—. See *Pucher and Vickery*, 525
du Vigneaud, Vincent. See *Hofmann, Kilmer, Melville, du Vigneaud, and Darby*, 503
—. See *Kilmer, Armstrong, Brown, and du Vigneaud*, 495
—. See *Melville, Hofmann, and du Vigneaud*, 101

W

Waelsch, Heinrich, and **Miller, Herbert K.** The relation of keto acid excretion to amino acid metabolism, 1
—. See *Anchel and Waelsch*, 605
Walden, M. K. See *Kies and Schwimmer*, 685
Weichselbaum, T. E. See *Somogyi and Weichselbaum*, 567
Wendel, William B., and **Kimball, Sydnette.** Formation of lactic acid and pyruvic acid in blood containing *Plasmodium knowlesi*, 343
Westerfeld, W. W., and **Lowe, Charles.** The oxidation of *p*-cresol by peroxidase, 463
—. See *Green, Westerfeld, Vennesland, and Knox*, 69
Whitman, Newton E. See *Borchers, Berg, and Whitman*, 657
Wintersteiner, O. See *Bergström and Wintersteiner*, 309, 327
Woodward, Gladys E., and **Reinhart, Francis E.** The effect of pH on the formation of pyrrolidonecarboxylic acid and glutamic acid during enzymatic hydrolysis of glutathione by rat kidney extract, 471

INDEX TO SUBJECTS

A

Acetic acid: Cholesterol formation, effect, *Bloch and Rittenberg*, 625

Acetoacetic ester(s): Substituted, α-amino acids, synthesis from, *Hamlin and Hartung*, 349

Acetone bodies: Urine, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman*, 657

Acetylglycine: Hippuric acid synthesis, effect, *Abbott*, 241

Acid(s): Ingested, excretion rate, *Kuyper*, 615

Organic. *See* Organic acids

Adenosine triphosphate: Brain, determination, *Kerr*, 647

Decomposition products, brain, determination, *Kerr*, 647

Albumin: Blood serum, malonyl, chymotryptic digestion, *Ross and Tracy*, 19

Egg. *See* Egg albumin

Alcaligenes faecalis: Cholic acid, effect, *Schmidt, Hughes, Green, and Cooper*, 229

Aldehyde(s): Fatty, higher, *Anchel and Waelsch*, 605

—, —, tissue, isolation, acidic carbonyl reagents, use, *Anchel and Waelsch*, 605

Alkali: Ingested, excretion rate, *Kuyper*, 615

Alkaloid(s): Ergot, *Gould, Craig, and Jacobs*, 487

Alkalosis: Chloride deficiency, relation, *Greenberg and Cuthbertson*, 179

Sodium bicarbonate-induced, blood serum electrolytes, *Kirsner*, 219

Amino acid(s): α-, synthesis, acetoacetic esters, substituted, *Hamlin and Hartung*, 349

Blood plasma, determination, ninhydrin-carbon dioxide reaction, *MacFadyen*, 387

Amino acid(s)—*continued:*

Metabolism, keto acid excretion, relation, *Waelsch and Miller*, 1

Amino nitrogen: Free, liberation, Van Slyke apparatus, *Lieben and Loo*, 223

Anemia: Hemorrhagic, *McKibbin, Schaefer, Elvehjem, and Hart*, 107

Anhydrase: Carbonic, electrophoresis, *Petermann and Hakala*, 701

—, molecular kinetics, *Petermann and Hakala*, 701

Arginine: Determination, photometric, *Brand and Kassell*, 359

Arsenate: Carbohydrate breakdown, phosphopyruvic acid dephosphorylation, relation, *Meyerhof and Junowicz-Kocholaty*, 443

Ascorbic acid: *l*-, 3,3′-methylenebis (4-hydroxycoumarin) action and prothrombin time, effect, *Overman, Stahmann, and Link*, 155

Asparagine: Preparation, *Vickery, Pucher, and Deuber*, 45

B

Bacillus subtilis: *d*(−)-Glutamic acid polypeptide formation by, *Bovarnick*, 415

Bacteria: *See also Alcaligenes faecalis*

Bile acid(s): Metabolism, *Schmidt, Hughes, Green, and Cooper*, 229

Biotin: Diaminocarboxylic acid from, 3,4-diaminotetrahydrothiophene stability, comparison, *Kilmer, Armstrong, Brown, and du Vigneaud*, 495

— — —, phenanthrenequinone condensation, *Hofmann, Kilmer, Melville, du Vigneaud, and Darby*, 503

Pyruvate metabolism, liver, effect, *Pilgrim, Axelrod, and Elvehjem*, 237

Succinylsulfathiazole and, growth effect, *Nielsen and Elvehjem*, 713

Biotin sulfone: Hydrolysis, *Melville, Hofmann, and du Vigneaud*, 101

Blood: Cerebral, arterial-venous differences, *Nims, Gibbs, and Lennox,* 189
—, — —, arterial carbon dioxide effect, *Nims, Gibbs, and Lennox,* 189
Chloride, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg,* 85
Lactate, diabetes, glucose and insulin effect, *Klein,* 35
Lactic acid, *Plasmodium knowlesi* effect, *Wendel and Kimball,* 343
Potassium, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg,* 85
Pyruvate, diabetes, glucose and insulin effect, *Klein,* 35
Pyruvic acid, *Plasmodium knowlesi* effect, *Wendel and Kimball,* 343
Sodium, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg,* 85
Blood cell(s): Nicotinic acid determination, *Klein, Perlzweig, and Handler,* 27
Blood plasma: Amino acids, determination, ninhydrin-carbon dioxide reaction, *MacFadyen,* 387
Glutamine-like substance, *Hamilton,* 711
Nicotinic acid determination, *Klein, Perlzweig, and Handler,* 27
Prothrombin, sulfaguanidine effect, *Black, Overman, Elvehjem, and Link,* 137
Blood serum: Albumin, malonyl, chymotryptic digestion, *Ross and Tracy,* 19
Electrolytes, sodium bicarbonate-induced alkalosis, *Kirsner,* 219
Gonadotropin, pregnancy, enzymes, effect, *Evans and Hauschildt,* 335
Protein, non-antigenic, preparation, *Arnow, Kazal, and De Falco,* 347
Boron: Riboflavin-, complex, water-soluble, *Frost,* 693
Brain: Adenosine triphosphate decomposition products, determination, *Kerr,* 647
— —, determination, *Kerr,* 647
Brain—*continued:*
Blood arterial-venous differences, *Nims, Gibbs, and Lennox,* 189
— — —, arterial carbon dioxide effect, *Nims, Gibbs, and Lennox,* 189
Dihydrosphingosine isolation, *Carter and Norris,* 709
Phosphorus compounds, *Kerr,* 647
Proteinase, *Kies and Schwimmer,* 685
Bran: Rice, concentrates, pyridoxine, conjugated, *Scudi,* 637
Bryophyllum calycinum: Leaves, organic acids, *Pucher,* 511
Butyrin(s): α-, dimethyl ethers, hydrolysis, lipases, *Baer and Fischer,* 61
—, — —, synthesis, *Baer and Fischer,* 61

C

Calcium: Absorption, lactose and hydrolysis products, effect, *Roberts and Christman,* 267
Calcium salt(s): Succinoxidase system, effect, mechanism, *Swingle, Axelrod, and Elvehjem,* 581
Carbamide: Phenylthio-, tyrosinase, effect, *Bernheim and Bernheim,* 213
Carbohydrate(s): Arsenate effect, phosphopyruvic acid dephosphorylation, relation, *Meyerhof and Junowicz-Kocholaty,* 443
Carbon dioxide: Blood, arterial, cerebral blood arterial-venous differences, effect, *Nims, Gibbs, and Lennox,* 189
Radioactive, glycogen formation from pyruvate *in vitro*, effect, *Buchanan, Hastings, and Nesbett,* 715
Carbonic anhydrase: Electrophoresis, *Petermann and Hakala,* 701
Molecular kinetics, *Petermann and Hakala,* 701
Carbon suboxide: Proteins and, *Ross and Tracy,* 19
Carboxylase(s): Tissue, animal, *Green, Westerfeld, Vennesland, and Knox,* 69
Carboxylic acid: Diamino-, biotin, 3,4-diaminotetrahydrothiophene sta-

Carboxylic acid—*continued:*
bility, comparison, *Kilmer, Armstrong, Brown, and du Vigneaud,* 495
Diamino-, biotin, phenanthrenequinone condensation, *Hofmann, Kilmer, Melville, du Vigneaud, and Darby,* 503
Pyrrolidone-, formation, glutathione hydrolysis, enzymatic, kidney extract, hydrogen ion concentration effect, *Woodward and Reinhart,* 471
Carboxypeptidase: Kinetics, substrate effect, *Bergmann and Fruton,* 247
Carotene: Stability, tocopherol effect, *Quackenbush, Cox, and Steenbock,* 169
Casein: Methionine-free protein, conversion, *Toennies,* 667
Nutrition effect, hydrogen peroxide and formic acid effect, *Bennett and Toennies,* 671
Tryptophane-free protein, conversion, *Toennies,* 667
Catecholase: *See* Tyrosinase
Chick: Nutritional factor, feather pigmentation, *McGinnis, Norris, and Heuser,* 341
Chloride(s): Blood, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg,* 85
Dietary, alkalosis relation, *Greenberg and Cuthbertson,* 179
Tissue, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg,* 85
Cholesterol: Autoxidation, colloidal aqueous solution, *Bergström and Wintersteiner,* 309
Formation, acetic acid effect, *Bloch and Rittenberg,* 625
Cholic acid: *Alcaligenes faecalis* effect, *Schmidt, Hughes, Green, and Cooper,* 229
Choline: Kidney hemorrhage, effect, *Patterson and McHenry,* 207
Chymotrypsin: Blood serum albumin, malonyl, digestion, *Ross and Tracy,* 19
Egg albumin, malonyl, digestion, *Ross and Tracy,* 19
Chymotrypsin—*continued:*
Specificity, *Fruton and Bergmann,* 253
Citric acid: Iso-, malic acid, crassulacean, identity, *Pucher and Vickery,* 525
Clostridium butylicum: Preparations, pyruvic acid dissimilation, *Koepsell and Johnson,* 379
Clover: Sweet, hemorrhagic disease, *Overman, Stahmann, and Link,* 155
Cresol: *p*-, oxidation, peroxidase in, *Westerfeld and Lowe,* 463
Cysteine: Determination, *Sullivan, Hess, and Howard,* 621
Cystine: Determination, *Sullivan, Hess, and Howard,* 621

D

Diabetes: Blood lactate, glucose and insulin effect, *Klein,* 35
— pyruvate, glucose and insulin effect, *Klein,* 35
Glycogen storage, effect, *Pauls and Drury,* 481
Diaminocarboxylic acid: Biotin, 3,4-diaminotetrahydrothiophene stability, comparison, *Kilmer, Armstrong, Brown, and du Vigneaud,* 495
—, phenanthrenequinone condensation, *Hofmann, Kilmer, Melville, du Vigneaud, and Darby,* 503
Diaminotetrahydrothiophene: 3,4-, stability, *Kilmer, Armstrong, Brown, and du Vigneaud,* 495
—, synthesis, *Kilmer, Armstrong, Brown, and du Vigneaud,* 495
Diastase: Malt, plant nutrients, inorganic, effect, *Braun,* 197
Dihydrosphingosine: Brain, isolation, *Carter and Norris,* 709
Spinal cord, isolation, *Carter and Norris,* 709
Dimethylergoline(s): 6,8-, *d*-lysergic and *dl*-lysergic acid transformation, *Gould, Craig, and Jacobs,* 487
Dopa: Oxidase, mammalian, tyrosinase relation, *Hogeboom and Adams,* 273

E

Egg albumin: Malonyl, chymotryptic digestion, *Ross and Tracy*, 19

Electrode: Mercury, dropping, oxidation-reduction potentials, determination, *Müller*, 425

Electrolyte(s): Blood serum, sodium bicarbonate-induced alkalosis, *Kirsner*, 219

Enzyme(s): Blood serum gonadotropin, pregnancy, effects, *Evans and Hauschildt*, 335

Glutathione hydrolysis, glutamic acid formation, hydrogen ion concentration effect, *Woodward and Reinhart*, 471

— —, pyrrolidonecarboxylic acid formation, hydrogen ion concentration effect, *Woodward and Reinhart*, 471

See also Anhydrase, Carboxylase, Carboxypeptidase, Chymotrypsin, Diastase, Histaminase, Lipase, Mylase P, Oxidase, Peptidase, Peroxidase, Phosphatase, Proteinase, Succinoxidase, Tyrosinase

Ergoline(s): 6,8-Dimethyl-, *d*-lysergic and *dl*-lysergic acid transformation, *Gould, Craig, and Jacobs*, 487

Ergot: Alkaloids, *Gould, Craig, and Jacobs*, 487

F

Fat(s): Synthesis, thiamine effect, *Quackenbush, Steenbock, and Platz*, 163

Feather: Pigmentation, nutritional factor, *McGinnis, Norris, and Heuser*, 341

Folic acid: Succinylsulfathiazole and, growth effect, *Nielsen and Elvehjem*, 713

Formic acid: Casein nutrition rôle, effect, *Bennett and Toennies*, 671

Formylglycine: Hippuric acid synthesis, effect, *Abbott*, 241

G

Globulin: *See also* Lactoglobulin

Glucose: Blood lactate, diabetes, effect, *Klein*, 35

Glucose—*continued:*

Blood pyruvate, diabetes, effect, *Klein*, 35

Fate, injection effect, *Orten and Sayers*, 123

Ketonemia, ingestion effect, *Somogyi*, 575

Ketone-sparing effect, *Somogyi and Weichselbaum*, 567

Glutamic acid: *d*(−)-, polypeptide, formation, *Bacillus subtilis*, *Bovarnick*, 415

Formation, glutathione hydrolysis, enzymatic, kidney extract, hydrogen ion concentration effect, *Woodward and Reinhart*, 471

Glutamine: -Like substance, blood plasma, *Hamilton*, 711

Glutathione: Hydrolysis, enzymatic, kidney extract, pyrrolidonecarboxylic acid and glutamic acid formation, hydrogen ion concentration effect, *Woodward and Reinhart*, 471

Glycine: Acetyl-, hippuric acid synthesis, effect, *Abbott*, 241

Formyl-, hippuric acid synthesis, effect, *Abbott*, 241

Propionyl-, hippuric acid synthesis, effect, *Abbott*, 241

Glycogen: Formation from pyruvate *in vitro*, radioactive carbon dioxide effect, *Buchanan, Hastings, and Nesbett*, 715

Liver, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman*, 657

Storage, diabetes, insulin effect, *Pauls and Drury*, 481

Glycosuria: Phlorhizin, valine metabolism, *Rose, Johnson, and Haines*, 679

Gonadotropin: Blood serum, pregnancy, enzymes, effect, *Evans and Hauschildt*, 335

Growth: Biotin and succinylsulfathiazole, effect, *Nielsen and Elvehjem*, 713

Folic acid and succinylsulfathiazole, effect, *Nielsen and Elvehjem*, 713

Growth—*continued:*
Succinylsulfathiazole and folic acid and biotin, effect, *Nielsen and Elvehjem*, 713
Sulfaguanidine effect, *Black, Overman, Elvehjem, and Link*, 137
Guanidine: Sulfa-, blood plasma prothrombin, effect, *Black, Overman, Elvehjem, and Link*, 137
—, growth effect, *Black, Overman, Elvehjem, and Link*, 137

H

Hemorrhage: Anemia, *McKibbin, Schaefer, Elvehjem, and Hart*, 107
Kidney, choline effect, *Patterson and McHenry*, 207
Sweet clover disease, *Overman, Stahmann, and Link*, 155
Hippuric acid: Synthesis, formylglycine, acetylglycine, and propionylglycine effect, *Abbott*, 241
Histaminase: Histamine-, reaction, oxygen consumption, *Laskowski*, 457
Histamine: Histaminase reaction, oxygen consumption, *Laskowski*, 457
Hydrogen peroxide: Casein nutrition rôle, effect, *Bennett and Toennies*, 671

I

Indolelactic acid: 3-, liver glycogen, effect, *Borchers, Berg, and Whitman*, 657
—, urine kynurenic acid, kynurenine, and acetone bodies, effect, *Borchers, Berg, and Whitman*, 657
Indolepyruvic acid: 3-, liver glycogen, effect, *Borchers, Berg, and Whitman*, 657
—, urine kynurenic acid, kynurenine, and acetone bodies, effect, *Borchers, Berg, and Whitman*, 657
Insulin: Blood lactate, diabetes, effect, *Klein*, 35
— pyruvate, diabetes, effect, *Klein*, 35
Glycogen storage, diabetes, effect, *Pauls and Drury*, 481
Inulin: Determination, *Hubbard and Loomis*, 641
Isocitric acid: Malic acid, crassulacean, identity, *Pucher and Vickery*, 525

K

Keto acid(s): Excretion, amino acid metabolism, relation, *Waelsch and Miller*, 1
Ketone(s): Glucose, sparing effect, *Somogyi and Weichselbaum*, 567
Ketonemia: Glucose ingestion effect, *Somogyi*, 575
Kidney: Glutamic acid formation, glutathione hydrolysis, enzymatic, hydrogen ion concentration effect, *Woodward and Reinhart*, 471
Hemorrhage, choline effect, *Patterson and McHenry*, 207
Phospholipid formation *in vitro*, anaerobiosis and respiratory inhibitors, radioactive phosphorus as indicator, *Taurog, Chaikoff, and Perlman*, 281
Pyrrolidonecarboxylic acid formation, glutathione hydrolysis, enzymatic, hydrogen ion concentration effect, *Woodward and Reinhart*, 471
Kynurenic acid: Urine, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman*, 657
Kynurenine: *l*(−)-, liver glycogen, effect, *Borchers, Berg, and Whitman*, 657
—, urine kynurenic acid, kynurenine, and acetone bodies, effect, *Borchers, Berg, and Whitman*, 657
Urine, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman*, 657

L

Lactate: Blood, diabetes, glucose and insulin effect, *Klein*, 35
Lactic acid: Blood, *Plasmodium knowlesi* effect, *Wendel and Kimball*, 343
Fermentation, hydrogen ion concentration effect, *Gunsalus and Niven*, 131
See also Indolelactic acid

Lactoglobulin: β-, determination, *Brand and Kassell*, 365
—, molecular weight, *Brand and Kassell*, 365
Lactose: Calcium absorption, effect, *Roberts and Christman*, 267
Hydrolysis products, calcium absorption, effect, *Roberts and Christman*, 267
Lipase(s): α-Butyrins, dimethyl ethers, hydrolysis, *Baer and Fischer*, 61
Liver: Glycogen, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman*, 657
Phospholipid formation *in vitro*, anaerobiosis and respiratory inhibitors, radioactive phosphorus as indicator, *Taurog, Chaikoff, and Perlman*, 281
Pyruvate metabolism, panthothenic acid and biotin effect, *Pilgrim, Axelrod, and Elvehjem*, 237
Succinoxidase system, riboflavin deficiency, *Axelrod, Swingle, and Elvehjem*, 297
Lung: Protein, thromboplastic, isolation, *Chargaff, Moore, and Bendich*, 593
Lysergic acid: *d*-, 6,8-dimethylergolines, transformation, *Gould, Craig, and Jacobs*, 487
dl-, 6,8-dimethylergolines, transformation, *Gould, Craig, and Jacobs*, 487

M

Malic acid: Crassulacean, isocitric acid, identity, *Pucher and Vickery*, 525
Malonyl albumin: Blood serum, chymotryptic digestion, *Ross and Tracy*, 19
Malonyl egg albumin: Chymotryptic digestion, *Ross and Tracy*, 19
Malt: Diastase, plant nutrients, inorganic, effect, *Braun*, 197
Methionine: *dl*-, diet, α-keto acid analogue, replacement, *Cahill and Rudolph*, 201
Protein-free, casein conversion, *Toennies*, 667
Methylenebis(4 - hydroxycoumarin): 3,3′-, prothrombin time, 2-methyl-1,4-naphthoquinone and *l*-ascorbic acid effect, *Overman, Stahmann, and Link*, 155
Methyl-1,4-naphthoquinone: 2-, 3,3′-methylenebis(4 - hydroxycoumarin) action and prothrombin time, effect, *Overman, Stahmann, and Link*, 155
Mosaic: Tobacco, virus, physical and chemical properties, *Knight*, 11
Mylase P: Pantothenic acid determination, microbiological, use in, *Buskirk and Delor*, 707

N

Naphthoquinone: 2-Methyl-1,4-, 3,3′-methylenebis(4 - hydroxycoumarin) action and prothrombin time, effect, *Overman, Stahmann, and Link*, 155
Nicotinic acid: Blood cells, determination, *Klein, Perlzweig, and Handler*, 27
— plasma, determination, *Klein, Perlzweig, and Handler*, 27
Deficiency, biochemical defect, *Handler and Dann*, 145
Nutrition: Feather pigmentation factor, *McGinnis, Norris, and Heuser*, 341

O

Organic acid(s): *Bryophyllum calycinum* leaves, *Pucher*, 511
Oxidase: Dopa, mammalian, tyrosinase relation, *Hogeboom and Adams*, 273
Per-, *p*-cresol oxidation, *Westerfeld and Lowe*, 463
Succin-, system, calcium salts, effect, mechanism, *Swingle, Axelrod, and Elvehjem*, 581
—, —, liver, riboflavin deficiency, *Axelrod, Swingle, and Elvehjem*, 297
Oxidation-reduction: Potentials, determination, dropping mercury electrode, *Müller*, 425
Oxygen: Consumption, histamine-histaminase reaction, *Laskowski*, 457
Oxyphenazine: α-, polarographic study, *Müller*, 425

P

Pantothenic acid: Determination, microbiological, mylase P use, *Buskirk and Delor*, 707
Pyruvate metabolism, liver, effect, *Pilgrim, Axelrod, and Elvehjem*, 237
Peptidase: Carboxy-, kinetics, substrate effect, *Bergmann and Fruton*, 247
Peroxidase: *p*-Cresol oxidation, *Westerfeld and Lowe*, 463
Phenanthrenequinone: Condensation, diaminocarboxylic acid from biotin, *Hofmann, Kilmer, Melville, du Vigneaud, and Darby*, 503
Phenol(s): Urine, determination, *Schmidt*, 533
Phenylthiocarbamide: Tyrosinase, effect, *Bernheim and Bernheim*, 213
Phlorhizin: Glycosuria, valine metabolism, *Rose, Johnson, and Haines*, 679
Phosphatase: Activity, oxidants and reductants, effect, *Sizer*, 405
Phospholipid(s): Kidney, formation *in vitro*, anaerobiosis and respiratory inhibitors, effect, radioactive phosphorus as indicator, *Taurog, Chaikoff, and Perlman*, 281
Liver, formation *in vitro*, anaerobiosis and respiratory inhibitors, effect, radioactive phosphorus as indicator, *Taurog, Chaikoff, and Perlman*, 281
Phosphopyruvic acid: Dephosphorylation, carbohydrate breakdown, relation, *Meyerhof and Junowicz-Kocholaty*, 443
Phosphorus: Radioactive, kidney phospholipid formation *in vitro*, anaerobiosis and respiratory inhibitors, study with, *Taurog, Chaikoff, and Perlman*, 281
—, liver phospholipid formation *in vitro*, anaerobiosis and respiratory inhibitors, study with, *Taurog, Chaikoff, and Perlman*, 281
Phosphorus compound(s): Brain, *Kerr*, 647
Pigmentation: Feather, nutritional factor, *McGinnis, Norris, and Heuser*, 341
Plant: Nutrients, inorganic, malt diastase, effect, *Braun*, 197
Plasmodium knowlesi: Blood lactic acid, effect, *Wendel and Kimball*, 343
— pyruvic acid, effect, *Wendel and Kimball*, 343
Potassium: Blood, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg*, 85
Tissue, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg*, 85
Pregnancy: Blood serum gonadotropin, enzymes, effect, *Evans and Hauschildt*, 335
Prolan: Inactivation, reversible, *Bischoff*, 545
Propionylglycine: Hippuric acid synthesis, effect, *Abbott*, 241
Protein(s): Carbon suboxide and, *Ross and Tracy*, 19
Methionine-free, casein conversion, *Toennies*, 667
Non-antigenic, blood serum, preparation, *Arnow, Kazal, and De Falco*, 347
Thromboplastic, lung, isolation, *Chargaff, Moore, and Bendich*, 593
Tryptophane-free, casein conversion, *Toennies*, 667
Proteinase: Brain, *Kies and Schwimmer*, 685
Prothrombin: Blood plasma, sulfaguanidine effect, *Black, Overman, Elvehjem, and Link*, 137
3,3′ - Methylenebis(4 - hydroxycoumarin) action, 2-methyl-1,4-naphthoquinone and *l*-ascorbic acid effect, *Overman, Stahmann, and Link*, 155
Pyridoxine: Conjugated, rice bran concentrates, *Scudi*, 637
Pyrrolidonecarboxylic acid: Formation, glutathione hydrolysis, enzymatic, kidney extract, hydrogen ion concentration effect, *Woodward and Reinhart*, 471
Pyruvate: Blood, diabetes, glucose and insulin effect, *Klein*, 35

Pryuvate—*continued:*
Glycogen formation from, *in vitro*, radioactive carbon dioxide effect, *Buchanan, Hastings, and Nesbett*, 715
Metabolism, liver, pantothenic acid and biotin effect, *Pilgrim, Axelrod, and Elvehjem*, 237
Pyruvic acid: Blood, *Plasmodium knowlesi* effect, *Wendel and Kimball*, 343
Dissimilation, *Clostridium butylicum* preparations, *Koepsell and Johnson*, 379
Phospho-, dephosphorylation, carbohydrate breakdown, relation, *Meyerhof and Junowicz-Kocholaty*, 443
See also Indolepyruvic acid

Q

Quinone: Phenanthrene-, condensation, diaminocarboxylic acid from biotin, *Hofmann, Kilmer, Melville, du Vigneaud, and Darby*, 503

R

Riboflavin: -Boron complex, water-soluble, *Frost*, 693
Deficiency, liver succinoxidase system, *Axelrod, Swingle, and Elvehjem*, 297
Rice: Bran concentrates, pyridoxine, conjugated, *Scudi*, 637

S

Selenium: Respiratory excretion, radioactive isotope in study, *McConnell*, 55
Serine: Dietary, effect, *Fishman and Artom*, 345
Sodium: Blood, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg*, 85
Tissue, determination, micro-, titrimetric, *Clark, Levitan, Gleason, and Greenberg*, 85
Sodium bicarbonate: Alkalosis, blood serum electrolytes, *Kirsner*, 219
Sodium salicylate: Urine metabolites, *Kapp and Coburn*, 549
Sphingosine: Dihydro-, brain, isolation, *Carter and Norris*, 709
—, spinal cord, isolation, *Carter and Norris*, 709
Spinal cord: Dihydrosphingosine isolation, *Carter and Norris*, 709
Sterol(s): Autoxidation, colloidal aqueous solution, *Bergström and Wintersteiner*, 309, 327
—, constitutional factors, effect, colloidal aqueous solution, *Bergström and Wintersteiner*, 327
—, esterification effect, colloidal aqueous solution, *Bergström and Wintersteiner*, 327
Succinoxidase: System, calcium salts, effect, mechanism, *Swingle, Axelrod, and Elvehjem*, 581
—, liver, riboflavin deficiency, *Axelrod, Swingle, and Elvehjem*, 297
Succinylsulfathiazole: Biotin and, growth effect, *Nielsen and Elvehjem*, 713
Folic acid and, growth effect, *Nielsen and Elvehjem*, 713
Sulfaguanidine: Blood plasma prothrombin, effect, *Black, Overman, Elvehjem, and Link*, 137
Growth effect, *Black, Overman, Elvehjem, and Link*, 137

T

Tetrahydrothiophene: 3,4-Diamino-, stability, *Kilmer, Armstrong, Brown, and du Vigneaud*, 495
—, synthesis, *Kilmer, Armstrong, Brown, and du Vigneaud*, 495
Thiamine: Fat synthesis, effect, *Quackenbush, Steenbock, and Platz*, 163
Thrombin: Pro-, blood plasma, sulfaguanidine effect, *Black, Overman, Elvehjem, and Link*, 137
—, 3,3′-methylenebis(4-hydroxycoumarin) action, 2-methyl-1,4-naphthoquinone and *l*-ascorbic acid effect, *Overman, Stahmann, and Link*, 155
Tobacco: Mosaic virus, physical and chemical properties, *Knight*, 11
Tocopherol: Carotene stability, effect, *Quackenbush, Cox, and Steenbock*, 169
Trypsin: Chymo-. *See* Chymotrypsin

Tryptophane: Liver glycogen, effect, *Borchers, Berg, and Whitman,* 657
Metabolism, *Borchers, Berg, and Whitman,* 657
Protein-free, casein conversion, *Toennies,* 667
Urine kynurenic acid, kynurenine, and acetone bodies, effect, *Borchers, Berg, and Whitman,* 657
Tyrosinase: Mammalian, dopa oxidase, relation, *Hogeboom and Adams,* 273
Phenylthiocarbamide effect, *Bernheim and Bernheim,* 213
Preparation, *Tenenbaum and Jensen,* 293

U

Urine: Kynurenic acid, kynurenine, and acetone bodies, tryptophane, 3-indolelactic acid, 3-indolepyruvic acid, and *l*(−)-kynurenine effect, *Borchers, Berg, and Whitman,* 657
Metabolites, sodium salicylate, *Kapp and Coburn,* 549
Phenols, determination, *Schmidt,* 533

V

Valine: Metabolism, phlorhizin glycosuria, *Rose, Johnson, and Haines,* 679
Virus: Tobacco mosaic, physical and chemical properties, *Knight,* 11